



CREO

HORTICULTURE PRODUCT CATALOG 2026


Nursery Supplies®
A **CREO** COMPANY



LOCATIONS www.creogroup.com	1415 Orchard Dr., Chambersburg, PA 17201 Ph: 1-800-523-8972	2050 Ave. A, Kissimmee, FL 34758 Ph: 1-800-523-8972
--	---	---

BEFORE YOU START

- Listed volume sizes are slightly smaller than measured volumes to allow for natural variances in the plastic molding process.
- Shipping tower counts may vary and are continually being updated.
- Sizes, weights, capacities, products and specifications subject to change without notice.
- For detailed information on ANLA standards and trade sizes or to join ANLA, visit their website at www.americanhort.org.
- Every effort is made to ensure the accuracy of data contained within this brochure; Creo Group and its subsequent brands do not assume any liability for errors or omissions.
- Contact Nursery Supplies to confirm availability.
- All containers are measured ID +/- 1/8".
- Some products may require minimum order quantities.
- CCY = Containers per cubic yard of soil.

NURSERY SUPPLIES
TRADEMARKS

- Accelerator®
- ACS Above Ground System®
- Grip-Lip®
- Dec-Grow®
- Classic®
- Lerio®
- Nursery Supplies, Inc.®
- Olympian
- Econo-Grip

Our products are 100% recyclable.

www.creogroup.com



TABLE OF CONTENTS

4 : Printing, Hot-Stamping & Labels	14 : Customize with Color
5 : Blow-Molded	15 : Dec-Grow®
10 : Pressure Formed	15 : Propagation Liner Trays
11 : NSI Injection Molded	16 : Accelerator®
12 : PI Injection Molded	18 : Listing by Trade Size
13 : Large Vacuum Formed	



PRINTING, HOT-STAMPING & LABELS

Branding moves products, and NSI is your branding expert. We offer our blow-molded, thermo-formed and injection-molded containers in many standard colors. Or you can select a custom color to meet your marketing requirements.

Ensure your customer knows you year after year by having a recognizable brand. Our weather-tested and customer-proven inks can be printed on a color container with your specific design.

NSI offers a one-color hot-stamp option to imprint your logo multiple times around the container. Our graphics department can even render your design before the manufacturing process to ensure satisfaction.

NSI can also be your source for barcode labeling. Our labels are resistant to water, chemicals and smudging.

Contact your Regional Sales Manager for further details.



We stand behind our products.



Contact your rep to explore the many colors we offer.
*additional fees may apply



BLOW-MOLDED CONTAINERS CLASSIC LINE



- Custom = lightweight
- Olympian = mid-weight
- Label-compatible

BLOW-MOLDED CONTAINERS
CLASSIC LINE

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	STACK	TOWER
C275	#1	6 5/8	5 1/2	0.55	2.18	369	100	9,200
C300S	#1	6 1/2	6 1/2	0.63	2.50	324	106	10,388
O10	#1	6 5/8	6 1/2	0.71	2.84	281	84	8,232
C300	#1	6 3/8	7 1/4	0.73	2.94	275	100	9,200
C350	Sm. Mum Pan	8	5 1/8	0.77	3.06	264	130	8,320
C400	True #1	7 3/4	7	1.00	4.00	202	92	6,440
C550	Lg. Mum Pan	9	6 1/8	1.21	4.84	167	97	4,850
C600	#2	9	8 1/2	1.50	6.00	135	105	5,250
O20	#2	8 1/2	8	1.44	5.75	140	61	3,294
C700	#2	8 3/4	8 1/2	1.73	6.92	116	86	4,128
C900	#2	9 1/2	9 1/8	1.94	7.75	104	83	3,818
C1000A	#2	9 1/2	8 5/8	2.00	8.00	101	90	4,140
C1000S	#2 Squat	10 1/8	7 1/2	1.95	7.78	104	75	2,700
C1200S	#2+ Squat	11	7 1/2	2.32	9.28	87	60	1,920
C1000	10 Foliage	10 1/8	9 1/8	2.25	9.00	90	70	2,520
C1200	#3	11	9 1/2	3.00	12.00	67	56	1,792
O30	True #3	10 1/2	9 7/8	3.00	11.62	69	47	1,692
C1600S	#3 Squat	11 7/8	7 7/8	2.87	11.47	70	47	1,316
C1600	#5	11 7/8	10 1/8	3.58	14.32	57	47	1,316
C2000	#5	11 7/8	11	3.84	15.37	53	44	1,232
B5	#5	11 3/4	10 1/2	4.11	16.44	49	45	1,260
C2100	#5 Squat	14	9 7/8	5.17	20.68	39	31	837
C2800	#7	14	11 1/2	6.08	24.32	34	31	837
C4000S	#7 Squat	15	12 1/2	7.49	29.97	27	21	672
B7S	#7 Squat	16 1/2	11	7.74	30.96	26	30	480
C4000	#10	15 3/4	15	9.16	36.64	23	27	432
C6900S	#10 Squat	18 3/8	12 1/8	10.66	42.66	19	19	285
C6900	#15	18 3/8	15 1/8	13.35	53.40	15	18	270
B15	#15	17 3/4	16	13.50	54.00	15	18	324
C10000S	#20 Squat	23 3/4	13 1/8	19.50	78.00	11	14	168
C10000	#25	23 3/4	18 1/8	27.17	108.68	7	10	150
B25	#25	23	17 1/4	25.14	100.56	8	10	200
C18000	#45	30	20 1/8	45.28	181.12	4	5	50
C26000	#65	30 4/3	23 1/8	60.67	242.68	3	5	50

Minimum order quantities may apply



- Grip-Lip® (GL) = standard weight, used as socket
- Econo-Grip® (EG) = economy weight, used as liner
- Pot-in-Pot
- Label-, printing- and hot-stamping compatible

BLOW-MOLDED CONTAINERS
GRIP-LIP® & ECONO-GRIP®

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	STACK	TOWER
GL/EG1200	#3	9 5/8	9 1/2	2.70	10.81	75	44	1,584
GL/EG1400	#5 Egg Can	9 5/8	12	3.28	13.12	62	40	1,440
GL/EG1600	#5	10 7/8	10 3/8	3.58	14.32	57	35	980
GL/EG2000	#5	10 7/8	11 1/8	3.93	15.72	51	35	980
GL/EG2800S	#5 Squat	13 3/4	10	5.56	22.25	36	20	640
GL/EG2800	#7	13 3/4	12	6.08	24.32	34	20	640
GL/EG4000*	#10	14 1/4	14 1/4	9.16	36.64	23	19	342
GL/EG6000*	#10 Tall	14 1/4	17 1/4	10.26	41.03	20	19	342
GL/EG6900S*	#10 Squat	17 1/4	12 1/8	10.69	42.75	19	17	170
GL/EG6900*	#15	17 1/4	15 1/8	13.19	52.76	16	17	170
GL/EG8000S*	#15 Squat	19 1/2	12	13.66	54.66	15	18	144
GL/EG6900T*	#15 Tall	17 1/4	17 1/8	14.49	57.96	14	16	160
GL/EG8000	#20	19 1/2	17	19.50	78.00	11	16	128
GL/EG10000S	#20 Squat	22 3/4	13 1/8	20.51	82.03	10	14	168
GL/EG10000	#25	22 3/4	18 1/8	27.59	110.36	8	10	150


Minimum order quantities may apply

*Available with Rope Handles

BLOW-MOLDED CONTAINERS

GRIP-LIP® & ECONO-GRIP®

IN-GROUND POT-IN-POT



SOCKET POT	TRADE SIZE	APPROX CALIPER	LINER POT
GL2800	#7	3/4" - 1	EG2800/2800CU
GL4000	#10	1"	EG4000
GL6900	#15	1 1/4" - 2	EG6900/6900BXL
GL10000	#25	2"-2 1/2"	EG10000/10000BXL

*Additional sizes available – Minimum order quantities may apply

ABOVE-GROUND SYSTEMS

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	DIA	HEIGHT (IN.)	STACK	TOWER
AGS 2800	#7	15 1/4"	19 1/2"	12 1/2"	9	144
AGS 6900	#15	17 1/4"	22 3/4"	17 1/4"	6	108

Minimum order quantities may apply



- Economical
- Automation-friendly
- Strong & resilient
- Co-extruded colors
- True gallon sizes
- Label- and printing compatible

PRESSURE FORMED

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	STACK	TOWER
PF250**	#1	6 1/8	6 1/8	0.63	2.50	324	93	8,556
PF310S**	#1	6 1/8	6 1/2	0.63	2.50	306	80	7,360
PF310**	#1	6 1/8	7	0.65	2.60	298	80	7,360
PF400**	True #1	7 1/2	7 1/8	1.00	4.00	202	85	5,440
PF550**	Lg. Mum Pan	9 1/2	6	1.55	6.20	131	91	3,276
PF600**	#2	8 1/2	8 1/2	1.50	6.00	135	90	4,140
PF700**	#2	9	9	1.72	6.88	117	36	3,956
PF800**	True #2	8 7/8	9 3/8	2.00	8.00	101	87	4,002
PF1000**	10 Foliage	9 5/8	9 1/8	2.25	9.00	90	89	3,204
PF1200S**	#3 Squat	10 1/2	7 3/4	2.45	9.80	82	72	2,304
PF1200**	True #3	10 1/2	9 3/8	3.00	12.00	68	71	2,272
PF1200T	#3	9 3/4	11 3/4	3.00	12.00	67	63	1,260
PF1400	#5 Egg Can	10 1/8	12	3.58	14.32	57	43	1,548
PF1600	#5	11 1/2	10	3.58	14.32	57	38	1,368
PF2000	#5	11 1/2	11 1/4	4.00	16.00	51	38	1,368

**Available with Tag Slots – Minimum order quantities may apply



NSI INJECTION MOLDED

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	STACK	TOWER
NS300**	#1	6	6 7/8	0.65	2.60	311	55	6,490
NS400**	True #1	7 1/2	7	1.00	4.00	202	60	3,840
NS600**	#2	8 1/2	8 1/2	1.73	6.92	117	48	2,880
NS800**	True #2	8 7/8	9 3/8	2.00	8.00	101	42	2,016
NS-3**	#3	10 3/16	9	2.54	10.12	80	50	1,800
NS1200**	True #3	10 9/16	9 1/2	3.00	12.00	68	42	1,512
NS-5S**	#5 Squat	11 1/4	9 7/8	3.58	14.32	57	41	1,148
NS1400**	#5	10 1/4	12 1/4	3.58	14.32	57	37	1,332
NS-7S	#7 Squat	14	11 1/4	6.20	24.78	33	24	576
NS-7T	#7 Tall	12	14 1/8	6.20	24.78	33	8	288
NS-10S	#10 Squat	14 3/4	11 1/2	7.97	31.88	26	13	208
NS-15S	#15 Squat	17 1/2	15 3/8	12.07	48.28	17	12	180

**Available with Tag Slots – Minimum order quantities may apply



PI INJECTION MOLDED

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	TOWER
PC-1C (LW)	#1	6	6 3/4	0.63	2.50	321	7,488
PC-1D	#1	6	6 3/4	0.71	2.84	285	4,664
PC-1H	#1	6	7	0.69	2.76	293	5,808
PC-2	#2	8 3/8	8 3/8	1.78	7.12	114	2,800
PC-1000**	#3	9 1/4	9	2.25	9.00	90	1,908
PC-3	#3	10	9 1/4	2.77	11.08	73	1,656
PC-3S	#3 Squat	10 1/2	8	2.53	10.12	80	1,872
CA-5	Egg Can	10	11 3/4	3.62	14.48	56	1,140
PC-5S	#5 Squat	10 3/4	10 1/2	4.08	16.32	50	960
PC-5 SPECIAL **	#5 Trade	10 3/8	11 1/2	3.23	13	59	1,755
PC-NW5S	#5 Squat	11	10 1/2	3.74	14.96	55	1,350
PC-6S	#6 Squat	12 1/4	9 1/4	4.36	17.44	47	840
PC-7S	#7 Squat	14	11 1/4	6.92	27.68	30	576
PC-10	#10	15 1/4	14 1/2	10.27	41.08	20	450
PC-10S	#10 Squat	16 1/4	12	9.51	38.04	22	432
PC-15	#15	14 1/2	18	11.10	44.40	19	324
PC-15S	#15 Squat	18 1/4	13 1/2	13.47	53.88	15	360
PC-15T SPECIAL	#15 Tall	14 1/4	16 5/8	9.17	36.68	22	630
PC-15TT	#15 Tall	14 1/4	17 1/4	10.69	42.75	19	400

**Available with Tag Slots – Minimum order quantities may apply



LARGE VACUUM FORMED

Large Vacuum-Formed Pots are available in a wide range of sizes. These pots have exceptional strength and durability. They're ideal for trees, shrubs and other long-cycle crops. They can withstand heavy weight under root and soil pressure, and they retain durability in high heat and sunlight.

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	STACK
SW35	#35	24	18	30.16	120.62	7	1
SW45	#45	28	19	42.81	171.25	5	1
SW65	#65	30	21	53.47	213.87	4	1
LER65	#65	30	21	52.03	208.12	4	1
SW65S	#65 Squat	35	18	63.78	255.12	3	1
SW95	#95/100	36	24	88.48	353.94	2	1
LER95	#95/100	36	24 3/8	93.28	373.12	2	1
SW100S	#95/100 Squat	42	18 1/4	98.08	392.31	2	1
LER150	#150	42	26 1/4	133.09	532.34	2	1
SW200	#200	48	26 1/2	186.08	744.31	1	1
LER300	#300	58	26	259.70	1038.81	1	1

Minimum order quantities may apply



PROPAGATION LINER TRAYS

Space-saving square liners are designed to maximize cost-saving strategies for many types of crops. The liners are durable and lightweight. They also have fluted sides for community watering. Ideal for annuals, foliage and woody ornamentals.

PRODUCT ID	STYLE	WIDTH	LENGTH	STACK	TOWER
PT3X6	Propagation Insert 18 Cavity	18 3/8	9 3/16	100	4,000
PT4X8	Propagation Insert 32 Cavity	18 3/8	9 3/16	100	4,000
F1717	Plastic Flat	17	17	60	400
F1818	Plastic Flat	18 7/8	18 7/8	25	400

DEC-GROW®

The Dec-Grow® line of decorative containers is strong enough for the toughest field use, yet beautiful enough to look perfectly at home on any retailer's shelf or customer's patio.

A red plastic bucket and a red plastic lid, both with a textured, ribbed design. A small green circular badge with '1 YEAR' and 'QUALITY GUARANTEE' is visible in the bottom left corner.

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	STACK	TOWER
#10 DG	#2+	9 7/8	8 3/4	2.12	8.48	96	45	1,440
#12 DG	#5	11 7/8	10 3/4	3.78	15.12	54	36	720

Minimum order quantities may apply



ACCELERATOR® AIR ROOT PRUNING SYSTEM

The Accelerator® air root pruning system is an all-natural way to help grow a better plant. From propagation to in-ground planting the patented root-enhancement technology ensures stronger roots and higher-quality plants. These containers produce much larger trees in the same time as conventional container products; the accelerated growth creates a cost-per-tree that is less than traditional methods.

The vertical corrugations of this solution guide root tips to air-pruning slots located along the side wall. This eliminates root circling and results in a denser, more uniform root mass.

More roots means more nutrients. When roots come in contact with air, the roots will automatically be pruned and send a signal back to the plant for fresh, new roots to grow. This means the new roots will be spreading through fresh patches of nutrients, and that enhances growth on your plant.

Accelerator® grown plants survive longer in inclement weather due to a healthier, denser root mass.

This will also increase shelf life and will extend your selling period.

PRODUCT ID	TRADE SIZE	TOP DIA. (IN.)	HEIGHT (IN.)	GALLONS	QUARTS	CCY	STACK	TOWER
AP-3	#3	12	8	2.68	10.72	75	41	1,148
AP-10	#10	18	12	9.35	37.40	22	20	300
AP-15	#15	18	15 1/2	12.00	48.00	17	19	285
AP-30	#25	24	15 3/4	22.50	90.00	9	9	162
AP-45	#45	30	18	41.90	167.60	5	6	108
AP-65	#65	30	22	52.50	210.00	4	5	100

Minimum order quantities may apply



LISTING BY TRADE SIZE

PRODUCT ID	TYPE	TRADE SIZE	TOP DIA.(IN.)	HEIGHT(IN.)	GALLONS	QUARTS	CCY
C275	BM	#1	6 5/8	5 1/2	0.55	2.18	369
PC-1C (LW)	INJ	#1	6	6 3/4	0.63	2.50	321
PF250	PF	#1	6 1/8	6 1/8	0.63	2.50	324
PF310S	PF	#1	6 1/8	6 1/2	0.63	2.50	306
C300S	BM	#1	6 1/2	6 1/2	0.63	2.50	324
NS300	INJ	#1	6	6 7/8	0.65	2.60	311
PF310	PF	#1	6 1/8	7	0.65	2.60	298
PC-1H	INJ	#1	6	7	0.69	2.76	293
PC-1D	INJ	#1	6	6 3/4	0.71	2.84	285
010	BM	#1	6 5/8	6 1/2	0.71	2.84	281
C300	BM	#1	6 3/8	7 1/4	0.73	2.94	275
C400	BM	True #1	7 3/4	7	1.00	4.00	202
NS400	INJ	True #1	7 1/2	7	1.00	4.00	202
PF400	PF	True #1	7 1/2	7 1/8	1.00	4.00	202
C350	BM	Sm. Mum Pan	8	5 1/8	0.77	3.06	264
C550	BM	Lg. Mum Pan	9	6 1/8	1.21	4.84	167
PF550	PF	Lg. Mum Pan	9 1/2	6	1.55	6.20	131
C1000S	BM	#2 Squat	10 1/8	7 1/2	1.95	7.78	104
020	BM	#2	8 1/2	8	1.44	5.75	140
PF600	PF	#2	8 1/2	8 1/2	1.50	6.00	135
C600	BM	#2	9	8 1/2	1.50	6.00	135
C1000A	BM	#2	9 1/2	8 5/8	2.00	8.00	101
C700	BM	#2	8 3/4	8 1/2	1.73	6.92	116
PF700	PF	#2	9	9	1.72	6.88	117
NS800	INJ	True #2	8 7/8	9 3/8	2.00	8.00	101
PF800	PF	True #2	8 7/8	9 3/8	2.00	8.00	101
C1200S	BM	#2+ Squat	11	7 1/2	2.32	9.28	87
PF1000	PF	10 Foliage	9 5/8	9 1/8	2.25	9.00	90
C1000	BM	10 Foliage	10 1/8	9 1/8	2.25	9.00	90
PF1200S	PF	#3 Squat	10 1/2	7 3/4	2.45	9.80	82
PC-3S	INJ	#3 Squat	10 1/2	8	2.53	10.12	80
C1600S	BM	#3 Squat	11 7/8	7 7/8	2.87	11.47	70
PC-1000	INJ	#3	9 1/4	9	2.25	9.00	90
NS-3	INJ	#3	10 1/5	9	2.54	10.12	80
GL/EG1200	BM	#3	9 5/8	9 1/2	2.70	10.81	75
PC-3	INJ	#3	10	9 1/4	2.77	11.08	73
PF1200T	PF	#3	9 3/4	11 3/4	3.00	12.00	67
C1200	BM	#3	11	9 1/2	3.00	12.00	67
030	BM	True #3	10 1/2	9 7/8	3.00	11.62	69
PF1200	PF	True #3	10 1/2	9 3/8	3.00	12.00	68
NS1200	INJ	True #3	10 9/16	9 1/2	3.00	12.00	68
PC-5S	INJ	#5 Squat	10 3/4	10 1/2	4.08	16.32	50
NS-5S	INJ	#5 Squat	11 1/4	9 7/8	3.58	14.32	57
PC-NW5S	INJ	#5 Squat	11	10 1/2	3.74	14.96	55
C2100	BM	#5 Squat	14	9 7/8	5.17	20.68	39
GL/EG2800S	BM	#5 Squat	13 3/4	10	5.56	22.25	36
PC-5 SPCL	INJ	#5	10 3/8	11 1/2	3.23	13.00	63
NS1400	INJ	#5	10 1/4	12 1/4	3.58	14.32	57
GL/EG1600	BM	#5	10 7/8	10 3/8	3.58	14.32	57
PF1600	PF	#5	11 1/2	10	3.58	14.32	57
C1600	BM	#5	11 7/8	10 1/8	3.58	14.32	57
C2000	BM	#5	11 7/8	11	3.84	15.37	53
GL/EG2000	BM	#5	10 7/8	11 1/8	3.93	15.72	51


Minimum order quantities may apply

PRODUCT ID	TYPE	TRADE SIZE	TOP DIA.(IN.)	HEIGHT(IN.)	GALLONS	QUARTS	CCY
PF2000	PF	#5	11 1/2	11 1/4	4.00	16.00	51
B5	BM	#5	11 3/4	10 1/2	4.11	16.44	49
GL/EG1400	BM	#5 Egg Can	9 5/8	12	3.28	13.12	62
PF1400	PF	#5 Egg Can	10 1/8	12	3.58	14.32	57
CA-5	INJ	#5 Egg Can	10	11 3/4	3.62	14.48	56
PC-6S	INJ	#6 Squat	12 1/4	9 1/4	4.36	17.44	47
NS-7S	INJ	#7 Squat	14	11 1/4	6.20	24.78	33
PC-7S	INJ	#7 Squat	14	11 1/4	6.92	27.68	30
C4000S	BM	#7 Squat	15	12 1/2	7.49	29.97	27
B7S	INJ	#7 Squat	16 1/2	11	7.74	30.96	26
GL/EG2800	BM	#7	13 3/4	12	6.08	24.32	34
C2800	BM	#7	14	11 1/2	6.08	24.32	34
NS-7T	INJ	#7 Tall	12	14 1/8	6.20	24.78	33
NS-10S	INJ	#10 Squat	14 3/4	11 1/2	7.97	31.88	26
PC-10S	INJ	#10 Squat	16 1/4	12	9.51	38.04	22
C6900S	BM	#10 Squat	18 3/8	12 1/8	10.66	42.66	19
GL/EG6900S	BM	#10 Squat	17 1/4	12 1/8	10.69	42.75	19
GL/EG4000	BM	#10	14 1/4	14 1/4	9.16	36.64	23
C4000	BM	#10	15 3/4	15	9.16	36.64	23
PC-10	INJ	#10	15 1/4	14 1/2	10.27	41.08	20
GL/EG6000	BM	#10 Tall	14 1/4	17 1/4	10.26	41.03	20
NS-15S	INJ	#15 Squat	17 1/2	15 3/8	12.07	48.28	17
PC-15S	INJ	#15 Squat	18 1/4	13 1/2	13.47	53.88	15
GL/EG8000S	BM	#15 Squat	19 1/2	12	13.66	54.66	15
PC-15	INJ	#15	14 1/2	18	11.10	44.40	19
GL/EG6900	BM	#15	17 1/4	15 1/8	13.19	52.76	16
C6900	BM	#15	18 3/8	15 1/8	13.35	53.40	15
B15	INJ	#15	17 3/4	16	13.50	54.00	15
PC-15T SPCL	INJ	#15 Tall	14 1/4	16 5/8	9.17	36.68	22
PC-15TT	INJ	#15 Tall	14 1/4	17 1/4	10.69	42.75	19
GL/EG6900T	BM	#15 Tall	17 1/4	17 1/8	14.49	57.96	14
C10000S	BM	#20 Squat	23 3/4	13 1/8	19.50	78.00	11
GL/EG10000S	BM	#20 Squat	22 3/4	13 1/8	20.51	82.03	10
GL/EG8000	BM	#20	19 1/2	17	19.50	78.00	11
GL/EG8000T	BM	#20 Tall	19 1/2	19 5/8	21.64	86.56	10
B25	INJ	#25	23	17 1/4	25.14	100.56	8
C10000	BM	#25	23 3/4	18 1/8	27.17	108.68	7
GL/EG10000	BM	#25	22 3/4	18 1/8	27.59	110.36	8
SW35	VAC	#35	24	18	30.16	120.62	7
SW45	VAC	#45	28	19	42.81	171.25	5
C18000	BM	#45	30	20 1/8	45.28	181.12	4
LER65	VAC	#65	30	21	52.03	208.12	4
SW65	VAC	#65	30	21	53.47	213.87	4
C26000	BM	#65	30 3/4	23 1/8	60.67	242.68	3
SW65S	VAC	#65 Squat	35	18	63.78	255.12	3
SW100S	VAC	#95/100	42	18 1/4	98.08	392.31	2
SW95	VAC	#95/100	36	24	88.48	353.94	2
LER95	VAC	#95/100	36	24 3/8	93.28	373.12	2
LER150	VAC	#150	42	26 1/4	133.09	532.34	2
SW200	VAC	#200	48	26 1/2	186.08	744.31	1
LER300	VAC	#300	58	26	259.70	1,038.81	1

Minimum order quantities may apply

LISTING BY TRADE SIZE





CREO Headquarters
2050 Ave. A
Kissimmee, FL 34758

CONTACT US

(407) 846-9750
info@creogroup.com



MICHAEL KEANEY
VP of Sales
mkeaney@creogroup.com
910-444-8690



HEATHER CANNON
Sr. Regional Sales Manager
hcannon@creogroup.com
330-447-3202
IL, IN, IA, KS, KY, MI, MN, MO, NE, ND,
OH, SD, WV, WI



MICHELLE BOUDREAU
Regional Sales Manager
michelleb@creogroup.com
717-262-8796
PA, NC, SC, VA



ROB RODRIGUEZ
Regional Sales Manager
robr@creogroup.com
207-671-3167
CT, ME, MD, MA, NH, NJ, NY, RI, VT
Canada - NB, ON, QC



COURTNEY LEWIS-BORTS
Regional Sales Manager
clewis@creogroup.com
503-507-2173
AK, AZ, CA, NV, OR, WA, HI
Canada: AB, BS, MB, SK



CATHY WOJTAS
Regional Sales Manager
cwojtas@creogroup.com
407-761-8737
FL, GA



PETER STANT
Regional Sales Manager
pstant@creogroup.com
775-550-3217
AL, AR, LA, MS, AL



MIRANDA REMLING
Regional Sales Manager
mremling@creogroup.com
979-270-2404
TX, CO, ID, MT, OK, UT, WY, NM



CAITLIN SHIELDS
Director of Customer Service
cshields@creogroup.com
717-830-9079



CALEB DWIGGINS
Central & West Business
Development Manager
cdwiggins@creogroup.com
660-651-9722



KEVIN DEWANSINGH
East & Southeast Business
Development Manager
kdewansingh@creogroup.com
646-491-2798